

Induced pluripotent stem cells: production and utility in regenerative medicine

The BioPark Hertfordshire, Welwyn Garden City, AL7 3AX: 7th October 2010

"The production of iPS cells from dermal fibroblasts has generated intense interest in the utility of such cells for research purposes and clinical applications. iPS cell production currently requires the use of transcription factor gene delivery to reprogramme cells into iPS cells. Hence, both gene delivery technology and iPS cell characterization and subsequent cell differentiation are critical aspects of iPS cell biology. This meeting will address both issues" Meeting Chairs: *Professor Peter Andrews*, University of Sheffield, UK and *Dr Chris Denning*, University of Nottingham, UK

This event has CPD accreditation

9:00 – 9:30 **Registration**

9:30 – 9:40 **Introduction by the Chairs:** *Dr Chris Denning*, University of Nottingham, UK and *Professor Peter Andrews* University of Sheffield, UK

Chair: *Professor Peter Andrews* University of Sheffield, UK

9:40 – 10:25 **iPS cell generation**
Professor Hans Schöler, Max Planck Institute, Germany

10:25 – 10:50 **Forebrain progenitors**
Nicholas Allen, Cardiff

10:50 – 11:00 **Speakers Photo**

11:00 – 11:20 **Morning Break**

11.20-11.45 **Human ESCs into specific endodermal cell types**
Dr Ludvic Vallier, Laboratory for Regenerative medicine, University of Cambridge, UK
Generation of hepatocytes from human embryonic stem cells (hESCs) could represent an advantageous source of cells for cell therapy approaches as alternative to liver transplantation. However, the generation of hepatocytes from hESCs remains a challenge especially using conditions compatible with clinical applications. Here, we report a novel method to differentiate hESCs and hiPSCs into hepatic cells using defined culture system, which recapitulate essential stages of liver development. Importantly, the cells generated under these conditions exhibited hepatic functions in vitro and in vivo. Therefore, this approach represents toward the generation of hESCs derived hepatic cells for cell based therapy.

11.45-12.10 **Stem cell states and the single cell**
Professor Peter Andrews, University of Sheffield, UK
After prolonged culture, ES cells are subject to the selection of genetic variants. Accumulating evidence suggests that the 'stem cell compartment' in both ES and other stem cells may be composed of distinct substates. One aspect of culture adaption is that it alters the population dynamics of ES cultures, particularly affecting the behavior of substates within the stem cell compartment. Understanding the nature of these substates may provide insights into the mechanisms that control self renewal, commitment to differentiation and lineage selection of ES and, ultimately iPS cells. Inevitably these same mechanisms may also play a role in cancer progression

12.10-12.35 **Derivation and utility of cardiomyocytes from human pluripotent stem cells**
Dr Chris Denning, University of Nottingham, UK
We have demonstrated that functional cardiomyocytes can be derived from human embryonic stem cells, potentially offering a novel cell source for drug screening, disease modelling and cell replacement. However, before these goals can be realised, several issues must be tackled. We have sought to standardise feeder-free culture methods that function in 14 hESC lines derived in 5 different countries, impacting on the ability to improve downstream technologies. Thus, we have demonstrated industrial scale automation of hESC culture to meet demands of commerce. Standardised culture also provides a platform from which differentiation to the cardiac lineage can be improved and directed. Moreover, high efficiency genetic modification has been demonstrated in 11 hESC lines, potentially providing new routes to RNAi library screening for genome analysis. We have also generated transgenic hESC lines that express puromycin N-acetyltransferase from the cardiac specific MYH6 promoter, allowing

enrichment of cardiomyocytes to close to 100% purity by incubation with the antibiotic puromycin. This set of technologies is now being applied to proof of principle studies in drug screening and engineering in vitro disease models produced either by genetic modification or by exploitation of induced pluripotency (iPS) technology.

12.35-13.35 **Lunch and poster viewing**

Chair: *Dr Chris Denning*, University of Nottingham, UK

13.35-14.00 **Humps and Bumps on the road to pluripotency**

Dr Majlinda Lako, Newcastle University, UK

The generation of induced pluripotent stem cells (iPSC) has enormous potential for the development of patient specific regenerative medicine. Human embryonic stem cells (hESC) are able to defend their genomic integrity by maintaining low levels of reactive oxygen species (ROS) through a combination of enhanced removal capacity and limited production of these molecules. Such limited ROS production stems partly from the small numbers of mitochondria present in hESC, thus it was important to determine that human iPSC (hiPSC) generation is able to eliminate the extra mitochondria present in the parental fibroblasts (reminiscent of "bottleneck" situation after fertilisation) and to show that hiPSC have similar antioxidant defences to hESC. We were able to generate seven hiPSC lines from adult human dermal fibroblasts and have fully characterised two of those clones. Both hiPSC clones express pluripotency markers and are able to differentiate in vitro into cells belonging to all three germ layers. One of these clones is able to produce fully differentiated teratoma, whilst the other hiPSC clone is unable to silence the viral expression of OCT4 and c-MYC, produce fully differentiated teratoma and unable to downregulate the expression of some of the pluripotency genes during the differentiation process. In spite of these differences, both clones show similar ROS stress defence mechanisms and mitochondrial biogenesis to hESC. Together our data suggest that during the reprogramming process, certain cellular mechanisms are in place to ensure that hiPSC are provided with the same defence mechanisms against accumulation of ROS as the hESC.

14.00-14.25 **Derivation of induced pluripotent cells from adult dermal fibroblasts in patients with CVD and controls.**

Dr Nicole Kane, University of Glasgow, Scotland

14.25-14.50 **Reprogramming: from Technology to Biology**

Dr Keisuke Kaji, Edinburgh University, Scotland

We have developed a non-viral reprogramming system with multiprotein expression vector and Piggybac transposon/transposase in 2009. In addition to improving the strategy, currently we are using the system to understand the mechanism of the reprogramming process, how the cells go back to the pluripotent state by expression of Oct4, Sox2, Klf4 and c-Myc.

14.50-15.20 **Afternoon Tea/Coffee**

15.20-15.45 **Lenti-vector based generation of human IPS cells from HDFs; similarities and differences form ES cells**

Dr Sue Kimber and *Dr Tristan McKay*, University of Manchester, UK

15.45-16.10 **Application of induced pluripotent stem cells in modelling human immunodeficiency disorders**

Dr Sayandip Mukherjee, UCL, London

Induced pluripotent stem (iPS) cells generated from patient samples can potentially provide a platform for dissecting the molecular mechanisms of inherited disorders, design of drug screening protocols, and also for testing the efficacy and safety profiles of gene replacement therapies. We have focussed on chronic granulomatous disorder (CGD) which is a rare inherited neutrophil disorder and affects four in a million. iPS cells generated from skin biopsies of CGD patients will be employed for studying the efficacy of lentiviral vectors delivering a codon optimized gp91phox transgene, and as a proof of principal study to establish their application in bone marrow reconstitution experiments in murine models of CGD.

16.10-16.20 **Chairmans's summing up**

Dont forget to sign up to Euroscicions e-newsletter at www.euroscicon.com/signup.htm to keep up to date with European Life Science news and events and to be notified of the follow up to this event

About the Chairs

Professor Peter Andrews received his D.Phil from the University of Oxford in 1975. Following postdoc positions at the Institut Pasteur in Paris and Sloan-Kettering Institute in New York, he was a research scientist at the Wistar Institute in Philadelphia. He is currently the Arthur Jackson Professor of Biomedical Science in the University of Sheffield, where he is also co-director of the Centre for Stem Cell Biology. His research has focused both on embryonal carcinoma cells, the malignant counterparts of embryonic stem (ES) cells, as well as on the biology of human ES cells themselves.

Dr Chris Denning - PhD in Cancer Gene Therapy at Beatson Institute for Cancer Research, University of Glasgow, 1997; Postdoctoral Research Fellow - gene targeting in mouse ES cells, Institute for Stem Cell Research, University of Edinburgh, 1997-1998; Postdoctoral Research Fellow - gene targeting in somatic cells; first targeted gene disruption in animals other than mouse, Roslin Institute 1998-2001; Principal Investigator, University of Nottingham, 2001-2003; Medical Research Council Fellow in Stem cell biology, University of Nottingham, 2003-2006; Lecturer in stem cell biology, University of Nottingham, 2006-2008; Associate Professor & Reader in stem cell biology, University of Nottingham 2008

About the speakers

Professor Hans Schöler is a Director of the Max Planck Institute for Molecular Biomedicine in Münster (Germany), Professor of the Medical Faculty of the Westfälische Wilhelms-Universität Münster, and Adjunct Professor of Biochemistry at the University of Pennsylvania, School of Veterinary Medicine, Department of Animal Biology in Philadelphia (USA). Professor Schöler majored in Biology in Heidelberg (Germany), receiving his diploma in 1982. In 1985 he was awarded the Ph.D. degree "summa cum laude" at the Center for Molecular Biology in Heidelberg under supervision of Professor Dr. Peter Gruss. From 1986 until 1988 Professor Schöler was head of a research group at Boehringer Mannheim (now Roche) in Tutzing, and from 1988 until 1991 he worked as a staff scientist at the Max Planck Institute for Biophysical Chemistry in Göttingen. In 1991 he commenced as head of a research group at the European Molecular Biology Laboratory (EMBL) in Heidelberg. In 1999, Professor Schöler moved to the University of Pennsylvania (USA), where he served as Professor for Reproduction Physiology at the „School of Veterinary Medicine“ and Director of the „Center of Animal Transgenesis and Germ Cell Research“. Professor Schöler returned to Germany in 2004, where he since is director of the Department for Cell and Developmental Biology at the Max Planck Institute for Molecular Biomedicine in Münster. The main research interests of Professor Schöler are molecular biology of cells of the germline (pluripotent cells and germ cells), transcriptional regulation of genes in the mammalian germline, molecular development of reprogramming the genome of somatic cells after nuclear transfer into oocytes or fusion with pluripotent cells. Since 2005, Professor Schöler is head of the Managing Board of the Stem Cell Network North Rhine-Westphalia, and he was appointed Representative Member in the central ethics committee for stem cell research ("Zentrale Ethik-Kommission für Stammzellenforschung") in July 2005. In addition, Professor Schöler is a Member of the Scientific Advisory Board of the GSF National Research Center for Environment and Health since 2006.

Dr Nicole M Kane is a Postdoctoral Research Associate at the British Heart Foundation Glasgow Cardiovascular Research Centre at the University of Glasgow. Her research is focused on the genetic manipulation of human embryonic and induced pluripotent stem cells to further delineate pluripotency and differentiation commitments, in particular to a cardiovascular lineage.

Dr Keisuke Kaji, obtained his PhD in 2003 at the Tokyo Institute of Technology. In the same year he joined Dr. Brian Hendrich's group in the Institute for Stem Cell Research (ISCR) at the University of Edinburgh, as a postdoc. he studied the role of Mbd3 and found that the epigenetic molecule was important for lineage commitment in ES cells and development of pluripotent cells in peri-implantation mouse embryos. In 2008, He started my own group in the ISCR and developed a non-viral reprogramming strategy. Currently his group is working to improve the technology and reveal the mechanism of the reprogramming.

Dr Ludovic Vallier is a member of the Department of Surgery and junior principal investigator in the newly opened Anne McLaren laboratory for regenerative medicine (LRM, Cambridge). The Vallier laboratory study mechanisms controlling differentiation of pluripotent cells pancreas and liver. These studies use human Embryonic Stem Cells and human induced pluripotent stem cells as an in vitro model of development in combination with functional analyses. Overall, the objective of the Vallier laboratory objective is not only knowing how to control differentiation of human ESCs into specific endodermal cell types (including pancreas and liver progenitors), but also to generate fully functional cell type for clinical applications. hIPSCs and liver metabolic diseases.

This meeting was **organised by Euroscicon** (www.euroscicon.com), a team of dedicated professionals working for the continuous improvement of technical knowledge transfer to all scientists. Euroscicon believe that they can make a positive difference to the quality of science by providing cutting edge information on new technological advancements to the scientific community. This is provided via our exceptional services to individual scientists, research institutions and industry. The event was hosted by **BioPark** (www.biopark.co.uk), a research and development centre in Welwyn Garden City providing specialist facilities and support for bioscience and health technology businesses to grow, and to develop new products and technologies

You can network with people from this event at

Nature network - <http://network.nature.com/groups/euroscicon/>

Linked In- <http://www.linkedin.com/groups?gid=1939569>

Facebook - <http://www.facebook.com/group.php?gid=70847076549>

Twitter - <http://twitter.com/Euroscicon/>